




# Meet your new workmate

Your comfort matters. Therefore, ABAC created a small screw compressor with an extremely low noise level, comparable to your air conditioning system. Very compact and easy to install, ABAC SPINN compressors offer excellent savings on installation and piping costs, especially on the compact model with dryer.



## A safe investment for continuous use

ABAC SPINN compressors are 30% more efficient than piston compressors and have a longer lifetime due to less vibration and fewer moving parts.



# The world of ABAC



Care. Trust. Efficiency.

## Care.

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

## Trust.

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

## Efficiency.

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.

Your Authorized Distributor

6999860003



[www.abacaircompressors.com](http://www.abacaircompressors.com)

Air. Anytime. Anywhere.



**SPINN Series**  
2,2 to 15 kW



Air. Anytime. Anywhere.



# Join the ABAC advantage

## Our brand values

ABAC Aria Compressa was founded in 1980 but its compressed air heritage dates back over 60 years. Customer expectations have always driven product development, resulting in a portfolio which fulfills your compressed air needs and offers you the value you are looking for. Additionally, our worldwide presence makes sure we are at your service at all times.

Benefit from these five strong values and team up with ABAC today.

### ★ Technology leader

With years of experience, ABAC can rely on an extensive technical know-how to provide you with compressed air solutions that get the job done. Understanding the needs of our customers, we lead the compressed air field by example.

### ★ Recognised quality

You expect quality and reliability from your ABAC compressor. Our production facilities combine history and experience with the latest production methods. We certify and guarantee every product we manufacture to make sure that ABAC is a partner you can rely on.

Air. Anytime. Anywhere.

### ★ Value for money

As a customer, you want a product that offers you value for money. ABAC does just that, offering a full portfolio of products at a competitive price. With the right mix of flexibility and experience we deliver value at the right price to the industrial, professional and DIY compressed air markets.



### ★ Extensive network

A vast network of distributors and resellers (over 1000 in more than 100 countries) means that there is always an ABAC representative nearby to provide you with service, support or products. As such, all you need to do is focus on your business, ABAC takes care of the rest.

### ★ User-friendly design

Developing products with the customer in mind has always been a mainstay of ABAC's philosophy. As a result, ABAC compressors are designed to be easy to use providing you compressed air that is available when and where you need it.





# SPINN Series

## 2,2 to 7,5 kW

Power sizes 2,2 to 7,5 kW




Type	liters	bar	psi	l/min	cfm	HP	kW	dB(A)	L	W	H	Kg	
<b>SPINN</b> <b>Floor mounted</b>  Only 0,38 m <sup>2</sup>	0	8	116	300	10,6	3	2,2	61	620	612	995	99	
				445	15,8	4	3	61	620	612	995	103	
				560	19,8	5,5	4	62	620	612	995	105	
				700	24,8	7,5	5,5	64	620	612	995	110	
				1008	35,7	10	7,5	66	620	612	995	160	
		10	145	240	8,5	3	2,2	61	620	612	995	99	
				320	11,3	4	3	61	620	612	995	103	
				470	16,6	5,5	4	62	620	612	995	105	
				600	21,2	7,5	5,5	64	620	612	995	110	
				920	32,6	10	7,5	66	620	612	995	160	
	<b>SPINN</b> <b>Tank mounted</b>  Only 0,87 m <sup>2</sup> (200 L vessel size)	200	8	116	297	10,5	3	2,2	61	1429	612	1300	155
					443	15,6	4	3	61	1429	612	1300	157
					560	19,8	5,5	4	62	1429	612	1300	159
					697	24,6	7,5	5,5	64	1429	612	1300	164
1008					35,7	10	7,5	66	1429	612	1300	214	
10			145	240	8,5	3	2,2	61	1429	612	1300	155	
				320	11,3	4	3	61	1429	612	1300	157	
				470	16,6	5,5	4	62	1429	612	1300	159	
				600	21,2	7,5	5,5	64	1429	612	1300	164	
				920	32,6	10	7,5	66	1429	612	1300	214	
270		8	116	297	10,5	3	2,2	61	1531	612	1394	166	
				443	15,6	4	3	61	1531	612	1394	168	
				560	19,8	5,5	4	62	1531	612	1394	170	
				697	24,6	7,5	5,5	64	1531	612	1394	175	
	1008			35,7	10	7,5	66	1531	612	1394	225		
	10	145	240	8,5	3	2,2	61	1531	612	1394	166		
			320	11,3	4	3	61	1531	612	1394	168		
			470	16,6	5,5	4	62	1531	612	1394	170		
			600	21,2	7,5	5,5	64	1531	612	1394	175		
			920	32,6	10	7,5	66	1531	612	1394	225		
<b>SPINN.E</b> <b>Tank mounted + dryer</b>  Only 0,94 m <sup>2</sup> (270 L vessel size)	200	8	116	297	10,5	3	2,2	61	1429	612	1300	187	
				443	15,6	4	3	61	1429	612	1300	191	
				560	19,8	5,5	4	62	1429	612	1300	193	
				697	24,6	7,5	5,5	64	1429	612	1300	198	
				1008	35,7	10	7,5	66	1429	612	1300	254	
		10	145	240	8,5	3	2,2	61	1429	612	1300	187	
				320	11,3	4	3	61	1429	612	1300	191	
				470	16,6	5,5	4	62	1429	612	1300	193	
				600	21,2	7,5	5,5	64	1429	612	1300	198	
				920	32,6	10	7,5	66	1429	612	1300	254	
	270	8	116	297	10,5	3	2,2	61	1531	612	1394	198	
				443	15,6	4	3	61	1531	612	1394	202	
				560	19,8	5,5	4	62	1531	612	1394	204	
				697	24,6	7,5	5,5	64	1531	612	1394	209	
1008				35,7	10	7,5	66	1531	612	1394	265		
10		145	240	8,5	3	2,2	61	1531	612	1394	198		
			320	11,3	4	3	61	1531	612	1394	202		
			470	16,6	5,5	4	62	1531	612	1394	204		
			600	21,2	7,5	5,5	64	1531	612	1394	209		
			920	32,6	10	7,5	66	1531	612	1394	265		



### Easy operating control panel

All the info you need to operate your compressor at a glance.




### Efficient cooling

A coaxial fan provides excellent cooling of all the internal components, better than water cooled systems. This leads into higher efficiency and better reliability in operation.



### Easy and cost effective maintenance

Long service intervals and external oil level check. Quick access to air & oil filters, air & oil separator, oil fill & drain.



## SPINN.E Series Dryer versions

Extra compact, cost efficient and easy installation where moisture free air is required.



### Reliability, efficiency and robustness


The most advanced technologies in rotor design and oil household. Optimized seal arrangements and bearings.



### Infologic² Basic Controller

Advance monitoring and simple day-to-day configuration and control for your compressor.

- Pressure and temperature readings.
- Running hours, load hours.
- Maintenance warnings.
- Failure alarms.
- Fast pressure setting directly on the controller.



### Less noise and more energy saving

The automatic condensate drain discharges only water, no air. This silent process respects your working environment.

# SPINN Series

## 5,5 to 15 kW



Power sizes 5,5 to 15 kW



Type	liters	bar	psi	l/min	cfm	HP	kW	dB(A)	L	W	H	Kg	
<b>SPINN</b> <b>Floor mounted</b>  Only 0,53 m <sup>2</sup>	0	8	116	846	29,9	7,5	5,5	64	850	720	980	160	
				1140	40,3	10	7,5	65	850	720	980	170	
				1620	57,2	15	11	69	850	720	980	185	
				1860	65,7	20	15	71	850	720	980	200	
		10	145	696	24,6	7,5	5,5	64	850	720	980	160	
				996	35,2	10	7,5	65	850	720	980	170	
				1416	50,0	15	11	69	850	720	980	185	
				1680	59,3	20	15	71	850	720	980	200	
		13	188	780	27,5	10	7,5	65	850	720	980	170	
				1152	40,7	15	11	69	850	720	980	185	
				1332	47,0	20	15	71	850	720	980	200	
				1860	65,7	20	15	71	850	720	980	200	
<b>SPINN</b> <b>Tank mounted</b>  Only 1,26 m <sup>2</sup> (500 L vessel size)	270	8	116	846	29,9	7,5	5,5	64	1543	720	1337	207	
				1140	40,3	10	7,5	65	1543	720	1337	217	
				1620	57,2	15	11	69	1543	720	1337	232	
				1860	65,7	20	15	71	1543	720	1337	247	
		10	145	696	24,6	7,5	5,5	64	1543	720	1337	207	
				996	35,2	10	7,5	65	1543	720	1337	217	
				1416	50,0	15	11	69	1543	720	1337	232	
				1680	59,3	20	15	71	1543	720	1337	247	
		500	8	116	846	29,9	7,5	5,5	64	1945	720	1468	257
					1140	40,3	10	7,5	65	1945	720	1468	267
					1620	57,2	15	11	69	1945	720	1468	282
					1860	65,7	20	15	71	1945	720	1468	297
10	145		696	24,6	7,5	5,5	64	1945	720	1468	257		
			996	35,2	10	7,5	65	1945	720	1468	267		
			1416	50,0	15	11	69	1945	720	1468	282		
			1680	59,3	20	15	71	1945	720	1468	297		
13	188	780	27,5	10	7,5	65	1945	720	1468	267			
		1152	40,7	15	11	69	1945	720	1468	282			
		1332	47,0	20	15	71	1945	720	1468	297			
		1860	65,7	20	15	71	1945	720	1468	297			
<b>SPINN.E</b> <b>Tank mounted + dryer</b>  Only 0,99 m <sup>2</sup> (270 L vessel size)	270	8	116	846	29,9	7,5	5,5	64	1543	720	1337	242	
				1140	40,3	10	7,5	65	1543	720	1337	250	
				1620	57,2	15	11	69	1543	720	1337	265	
				1860	65,7	20	15	71	1543	720	1337	280	
		10	145	696	24,6	7,5	5,5	64	1543	720	1337	242	
				996	35,2	10	7,5	65	1543	720	1337	250	
				1416	50,0	15	11	69	1543	720	1337	265	
				1680	59,3	20	15	71	1543	720	1337	280	
		500	8	116	846	29,9	7,5	5,5	64	1945	720	1468	262
					1140	40,3	10	7,5	65	1945	720	1468	270
					1620	57,2	15	11	69	1945	720	1468	285
					1860	65,7	20	15	71	1945	720	1468	300
10	145		696	24,6	7,5	5,5	64	1945	720	1468	262		
			996	35,2	10	7,5	65	1945	720	1468	270		
			1416	50,0	15	11	69	1945	720	1468	285		
			1680	59,3	20	15	71	1945	720	1468	300		
13	188	780	27,5	10	7,5	65	1945	720	1468	270			
		1152	40,7	15	11	69	1945	720	1468	285			
		1332	47,0	20	15	71	1945	720	1468	300			
		1860	65,7	20	15	71	1945	720	1468	300			