



**ABAC**

Tools and accessories  
for professionals





## **ABAC. Air. Anytime. Anywhere**

**We are a leading compressed air solutions company, providing the best compressors, tools and air distribution systems to fulfil even your most demanding needs.**


**Committed to quality, reliability and simplicity, we want to make your life easier with solutions that you can trust and rely upon every day.**

**From oil-injected screws to mobile piston compressors, from professional inflating guns to a full range of impact wrenches: ABAC is the perfect partner to help you achieve your goal, be it boosting your business or fulfilling a hobbyist dream.**


**Millions of professionals worldwide have chosen us to get the job done. Join the ABAC experience.**




ABAC offers solutions for all your air requirements. We help you produce, distribute and use compressed air, with a wide range of machines. We supply reliable and efficient piston and oil-injected screw air compressors in multiple configurations, tailored to your needs.



There are some important factors to consider when dealing with compressed air. One crucial consideration is maintaining appropriate air quality levels throughout the supply chain. By selecting ABAC products, you can keep your air clean and avoid the risk of contamination for your business.



Ensuring consistent air delivery throughout your workplace is fundamental to improve efficiency and optimise results. For stability, smart connections and leak-proof, corrosion-free piping, look no further than AIRnet, the most effective solution for your air network. Quick and easy to install, your system will be up and running in record time.



At ABAC, we understand that compressed air has a wide and varied range of applications. That is why ABAC Professional Air Tools are engineered to meet the toughest, most complex demands of your business. Durable technology and high-quality materials are key features of our tool range, guaranteeing lifetime value and enduring performance.

# How to choose your tools



- ✓ well-suited
- ✓✓ very well-suited

## Impact wrench

					
	<b>2809913100</b> 1/2" mini PRO	<b>2809913101</b> 1/2" Comp PRO	<b>2809913102</b> 3/4" Comp PRO	<b>2809913103</b> 1" Comp PRO	<b>2809913104</b> 1" L Comp PRO
Application					
Car wheels	✓✓	✓✓	✓		
Car axles	✓	✓✓	✓		
Car engines	✓✓	✓			
Car body	✓✓	✓			
Light truck wheels		✓	✓✓	✓	
Light truck axles		✓	✓✓	✓✓	
Light truck engines	✓	✓✓	✓		
Light truck body	✓✓	✓✓			
Truck wheels				✓✓	✓✓
Truck axles			✓✓	✓✓	
Truck engines		✓✓	✓✓	✓	
Truck body	✓	✓✓	✓		
Metal construction	✓✓	✓✓	✓✓	✓	
Wood construction	✓	✓✓	✓✓	✓✓	


## Ratchet wrench

			
	<b>2809913150</b> 1/4" PRO	<b>2809913151</b> 1/2" PRO	<b>2809913152</b> 1/2" Imp. PRO
Application			
Car interior	✓✓		
Engine service	✓	✓✓	✓✓
Vehicle brakes		✓✓	✓✓
Vehicle axles		✓	✓✓

**Screws**

	 <b>2809913170</b> Straight PRO	 <b>2809913171</b> 1/2" pistol Comp PRO
<b>Application</b>		
Furniture manufacture	✓✓	✓✓
Assembly	✓✓	✓✓
Hanging/mounting	✓✓	






**Drill**

	 <b>2809913190</b> Drill 10mm Comp PRO
<b>Application</b>	
Automotive	✓✓
Wood sector	✓✓
Metal sector	✓✓
Assembly industry	✓✓

**Sander and grinder**

	 <b>2809913200</b> Die grinder PRO	 <b>2809913201</b> Angle die grinder PRO	 <b>2809913204</b> Die Grinder Long PRO	 <b>2809913202</b> Angle grinder 125 Comp PRO	 <b>2809913203</b> Long neck angle grinder PRO	 <b>2809913250</b> Belt Sander 330-10 PRO	 <b>2809913251</b> Orbital Sander 150 Comp PRO
<b>Application</b>							
Grinding in corners	✓✓	✓✓	✓✓	✓		✓✓	
Deburring	✓✓	✓✓	✓	✓✓		✓✓	
Weld grinding	✓✓	✓✓	✓✓	✓✓		✓	
Metal cutting				✓✓	✓✓		
Furniture sanding						✓	✓✓
Car body sanding							✓✓



**Hammer**

	 <b>2809913400</b> Chisel hammer 10mm PRO	 <b>2809913401</b> Chisel hammer 12mm PRO	 <b>2809913450</b> Needle scaler 12 PRO	 <b>2809913451</b> Needle scaler 19 PRO	 <b>2809913452</b> Needle scaler 28 PRO
<b>Application</b>					
Tile removal	✓✓	✓			
Chipping	✓✓	✓✓			
Plaster removal	✓✓	✓✓		✓	✓✓
Breaking through walls	✓	✓✓			
Creating cable ducts	✓✓	✓			
Stone processing	✓	✓	✓	✓✓	✓✓
Weld slag removal	✓		✓✓	✓✓	✓✓
Rust removal	✓		✓✓	✓✓	✓✓
Colour particle removal			✓✓	✓✓	✓
Restoring reinforcing steel				✓	✓✓

**Saw**

	 <b>2809913700</b> Saw Comp PRO
<b>Application</b>	
Cutting steel	✓✓
Cutting aluminium	✓✓
Cutting plastic	✓✓

**Tyre inflator**

	 <b>2809913620</b> Tyre inflator PRO CEE QL	 <b>2809913621</b> 1/2" Tyre inflator PRO CEE TR
<b>Application</b>		
Inflating motorbike tyres	✓✓	
Inflating car tyres	✓✓	✓✓
Inflating truck tyres	✓✓	✓✓
Inflating bus tyres		✓✓
Inflating twin tyres		✓✓



# Automotive



# Impact wrench 1/2" PRO mini

**Compact impact wrench** with high performance twin hammer clutch for professional use in the assembly industry and car workshops. The tool's **very compact body** makes it suitable for working in tight spaces.

**High performance twin hammer** clutch for quicker power build-up and high release torque. **Excellent weight-performance ratio**, generating up to 700 Nm torque with a weight of 1.1 kg.

**Smart design and balanced handle.** Balanced and easy to handle with optimized centre of gravity.

## Technical data symbols



Pressure in bar



Air displacement



Weight in kg



Dimensions in mm



Price in Euro

**High performance twin hammer clutch** provides high power with low wear

**Reduced fatigue** due to optimised centre of gravity and ergonomic handle design

**Extremely light** with 1.1 kg composite housing

**User-friendly operation** thanks to its sensitive controllable trigger and narrow R/F switch (2-step adjustable to F)

**Reduced fatigue** due to optimised centre of gravity and ergonomic handle design



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	kg	mm	
Impact wrench 1/2" PRO mini	2809913100	1/2"	440	6.3	5.3	1.1	121x62x170	

## Impact wrench 1/2" Comp PRO

### Powerful impact wrench for universal applications

Lightweight composite housing  
High performance twin hammer system  
Rubber handle grip



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	kg	mm
Impact wrench 1/2" Comp PRO	2809913101	1/2"	1100	6.3	9.2	2.1	194x68x207

## Impact wrench 3/4" Comp PRO

### Powerful impact wrench for light truck and van applications

Lightweight composite housing  
High performance twin hammer system  
Ergonomic housing design



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	kg	mm
Impact wrench 3/4" Comp PRO	2809913102	3/4"	1629	6.3	9.1	3.7	214x84x266

## Impact wrench 1" Comp PRO

### Powerful impact wrench for truck and bus applications

Lightweight composite housing  
High performance twin hammer system  
Ergonomic housing design



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	kg	mm
Impact wrench 1" Comp PRO	2809913103	1"	1900	6.3	9.1	3.7	214x84x266

## Impact wrench 1" L COMP PRO

### Heavy-duty impact wrench for light truck and van applications

Lightweight, compact composite housing  
High performance twin hammer system  
Ergonomic housing design



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	kg	mm
Impact wrench 1" L COMP PRO	2809913104	1"	2700	6.3	24	11	527x213x176



## Ratchet wrench 1/4" PRO

### Compact size for narrow space vehicle cabin and engine applications

Compact design  
Rubber handle grip  
Rubber protection on ratchet head



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	Kg	mm	€
Ratchet wrench 1/4" PRO	2809913150	1/4"	41	6.3	5	0.5	177x48x56	

## Ratchet wrench 1/2" PRO

### Universal ratchet wrench for various applications

Adjustable power  
Rubber handle grip  
Protective rubber on ratchet head



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	Kg	mm	€
Ratchet wrench 1/2" PRO	2809913151	1/2"	68	6.3	6	1.1	256x48x56	

## Ratchet wrench 1/2" Imp. PRO

### Powerful ratchet wrench with impact system

Impact System  
Rubber handle grip  
No kickback



Model	Part number	Air fitting	Working torque Nm	Bar	l/sec	Kg	mm	€
Ratchet wrench 1/2" Imp. PRO	2809913152	1/2"	122	6.3	6	1.3	279x46x57	

## Tyre inflator PRO CEE QL

### Robust tyre inflator for professional use

EC type approval  
Fully rubber-coated body and manometer  
Innovative "quick lock" valve adapter



Model	Part number	pressure display bar	max. work. pressure bar	Gauge diameter mm	Connection hose cm	Kg	mm	€
Tyre inflator PRO CEE QL	2809913620	0 - 12	12	80	150	0.95	245x95x125	

## Tyre inflator PRO CEE TR

### Robust tyre inflator for professional use in truck workshops

EC type approval  
 Fully rubber-coated body and manometer  
 Double valve connector for trucks and buses



				Gauge diameter	Connection hose			
Model	Part number	pressure display bar	max. work. pressure bar	mm	cm	kg	mm	
Tyre inflator PRO CEE TR	2809913621	0 - 12	12	80	50 + 30	0.8	245x95x125	

### Robust sockets with protection for tyre changing

Hardened steel  
 Protective plastic cover  
 Long design



Part number	Square	Hex size in mm	
28099,19100	1/2"	17, 19 & 21	

### Magnetic tool holder

2 strong magnets  
 Space for 4pcs sockets, 1/2" impact wrench  
 Hook for torque wrench



Part number	
2809919101	

# Metalworking



# Die grinder PRO

**Compact die grinder** for professional use in car workshops and metalworking industry.

**Universal applications**, including 3 & 6 mm collet chucks that are suitable for most common accessories.

**Quick work progress** due to high speed (25,000 rpm).

**Comfortable operation** thanks to the swivel air inlet that makes the tool very flexible, especially in hard-to-access areas.

**Reduced fatigue** due to light weight (0.4 kg).

## Technical data symbols



Pressure in bar



Air displacement



Weight in kg



Dimensions in mm



Price in Euro



Model	Part number	Watt	rpm	Bar	l/sec	kg	mm
Die grinder PRO	2809913200	220	25,000	6.3	4	0.4	159x39x60



## Angle die grinder PRO

### Angle die grinder for multiple applications in tight spaces

Compact design and lightweight  
Ergonomic rubber handle with reduced vibration  
Rotatable air connection for greater flexibility  
Incl. 3 mm and 6 mm collet chuck



Model	Part number	Watt	rpm	Bar	l/sec	kg	mm
Angle die grinder PRO	2809913201	220	20,000	6.3	4	0.7	181x45x79

## Die grinder Long PRO

### Extended die grinder for multiple applications

Ergonomic rubber handle with reduced vibration  
Rotatable air connection for greater flexibility  
Incl. 3 mm and 6 mm collet chuck



Model	Part number	Watt	rpm	Bar	l/sec	kg	mm
Die Grinder Long PRO	2809913204	220	25,000	6.3	4	0.7	256x39x60

## Angle grinder 125 Comp PRO

### Powerful angle grinder for professional use in the metalworking industry

Extremely quick grinding disc change thanks to spindle stop  
Rubber side grip can be installed for left- and right-handed individuals  
Protective hood can be adjusted without tools, for protection against sparks  
For standard grinding wheels up to dia. 125 mm



Model	Part number	Watt	rpm	Bar	l/sec	kg	mm
Angle grinder 125 Comp PRO	2809913202	660	12,000	6.3	11	2.0	229x207x92

## Long neck angle grinder PRO

### High performance cut-off tool for professional use in car workshops

Extremely quick grinding disc change thanks to spindle stop  
Long neck and low profile angle head offers good accessibility  
Protective hood can be adjusted without tools, for protection against sparks  
For cut-off wheels 100 x 1 x 16 mm



Model	Part number	Watt	rpm	Bar	l/sec	kg	mm
Long neck angle grinder PRO	2809913203	700	14,000	6.3	14	1.7	372x112x59

## Belt sander 330-10 PRO

### Compact belt sander for professional use in wood- and metalworking industries and car workshops

Exhaust air guide towards the rear prevents swarf dispersion  
Actuating lever with trigger safety device  
Automatic belt tensioner for easy abrasive belt changing



		Belt size						
Model	Part number	mm	rpm	Bar	l/sec	kg	mm	€
Belt Sander 330-10 PRO	2809913250	330x10	20,000	6.3	6	1.3	330x84x104	

## Orbital sander 150 Comp PRO

### Universal orbital sander with 5mm stroke

Fatigue-free grinding thanks to reduced vibrations  
Unlimited view of the workpiece with narrow collar  
Particularly low air consumption  
Suitable for standard 150mm, 15-hole, 8-hole and 6-hole sanding paper



		Sanding pad						
Model	Part number	mm	rpm	Bar	l/sec	kg	mm	€
Orbital Sander 150 Comp PRO	2809913251	150	12,000	6.3	6	0.8	215x150x98	

## Saw Comp PRO

### Compact air body saw with durable stroke mechanism

Effortless separation of body sheet metal and plastic parts  
Low noise and vibrations thanks to robust plastic housing  
Adjustable stop bracket offers easy handling and reduces saw blade wear



		Stroke length	Strokes per minute					
Model	Part number	mm		Bar	l/sec	kg	mm	€
Saw Comp PRO	2809913700	10	9,500 -1/min	6.3	4	0.8	280x70x35	

## Screwdriver straight PRO

### Compact screwdriver for professional use in wood- and metalworking industries

Anti-slip, ergonomic handle  
Extremely low noise due to exhaust air silencer  
Stemless torque adjustment on the outer adjusting ring allows for flexible working  
Suitable for hanging on balancers



		Socket (hexagonal)	Torque					
Model	Part number		Nm	Bar	l/sec	kg	mm	€
Screwdriver straight PRO	2809913170	1/4"	3-8	6.3	8	1.2	244x51x79	



## Screwdriver pistol Comp PRO



### Lightweight screwdriver for professional use in the wood- and metalworking industries

Super-lightweight and ergonomic composite housing

Very quiet thanks to built-in silencer

Switch from clockwise to anticlockwise operation with one hand to save time

Stemless torque adjustment on the outer adjusting ring allows for flexible working

Model	Part number	Socket (hexagonal)	Torque Nm	Bar	l/sec	kg	mm
Screwdriver pistol Comp PRO	2809913171	1/4"	3-8	6.3	8	1.1	210x43x150

## Drill 10 mm Comp PRO



### Powerful drill for professional use in wood- and metalworking industries and car workshops

Powerful thanks to the high-performance compressed air motor

Super-lightweight and ergonomic composite housing

Switch from clockwise to anticlockwise operation with one hand to save time

Very quiet thanks to built-in silencer

Model	Part number	Drill chuck mm	rpm	Bar	l/sec	kg	mm
Drill 10 mm Comp PRO	2809913190	10	2,000	6.3	8	1.0	188x43x150

### Sanding belt

Sanding belt 330x10 mm

5 pieces per pack

Part number	pcs	Grid	mm
2809919250	5	G80	330x10
2809919251	5	G120	330x10



### Sanding pad

Sanding Pad suitable for 15-hole,

8-hole and 6-hole sanding paper

Part number	mm
2809919252	150



### Saw blade

Bi-metal version

5 pieces per pack

Part number	Toothed length mm	Teeth
2809919700	50	18
2809919701	50	32



# Construction equipment



# Chisel hammer 10 mm PRO

**Robust chisel hammer** with durable stroke mechanism for professional use in metalworking and construction trade sectors.  
**Stepless adjustment** of impact power to suit different materials.  
**Extreme versatility** from chiselling tiles and plaster, to slits and metal sheet curving.  
**Reduced fatigue** thanks to its compact, lightweight design.

## Technical data symbols



Pressure in bar



Air displacement



Weight in kg



Dimensions in mm



Price in Euro

**Hexagonal shank** prevents chisel rotation

**Robust metal housing**

**Rubber-insulated hand grip** for temperature insulation and reduced vibrations

**Cross-slot holding cap** for quick replacement of chisels without using tools

**Air regulator** for variable adjustment of impact power



### Complete kit

In plastic case with 175 mm pointed and flat chisel, sheet metal separator and cutter and bolt removal device

Model	Part number	Strokes per minute min <sup>-1</sup>	Chisel size (hexagonal) mm	Bar	l/min	kg	mm	€
Chisel hammer 10 mm PRO	2809913400	4,500	10	6.3	10	1.9	189x175x52	

## Chisel hammer 12 mm PRO

### For tough applications on the construction site

Highest impact energy for the toughest materials  
 Chisel cap made from hardened steel for longer service time and quick chisel change  
 Incl. pointed and flat chisel, 250 mm long



Model	Part number	Strokes per minute min <sup>-1</sup>	Chisel size (hexagonal) mm	Bar	l/min	kg	mm	€
Chisel hammer 12 mm PRO	2809913401	3,000	11.7	6.3	11	2.6	280x145x52	

## Needle scaler 12 PRO

### Light needle scaler for multiple scaling applications

Compact design for working in tight spaces  
 Easy-to-remove guide bush for rapid needle replacement, no tools required  
 Fatigue-free work thanks to low weight



Model	Part number	Needles pcs	Strokes per minute min <sup>-1</sup>	Bar	l/min	kg	mm	€
Needle scaler 12 PRO	2809913450	12	5,000	6.3	3	1.3	320x40x62	

## Needle scaler 19 PRO

### Universal needle scaler for scaling applications in construction & metalworking industries

Pistol grip for enhanced ergonomics  
 Adjustable needle guide to adapt to different applications  
 Rubber handle reduces vibrations



Model	Part number	Needles pcs	Strokes per minute min <sup>-1</sup>	Bar	l/min	kg	mm	€
Needle scaler 19 PRO	2809913451	19	3,700	6.3	4	2.7	340x48x188	

## Needle scaler 28 PRO

### Heavy duty needle scaler with durable stroke mechanism for professional use in the construction sector

Pistol grip for enhanced ergonomics  
 Adjustable needle guide to adapt to different applications  
 High impact power for hard materials



Model	Part number	Needles pcs	Strokes per minute min <sup>-1</sup>	Bar	l/min	kg	mm	€
Needle scaler 28 PRO	2809913452	28	3,500	6.3	5	3.5	340x65x179	

### Replacement needles for needle scaler

Hardened steel  
 3 mm diameter

Part number	Needles pcs	Diameter mm	length mm	€
2809919450	12	3	125	
2809919451	19	3	180	
2809919452	28	3	180	






# Designed for professionals

## The tools your compressed air needs

It's time to stand out, because tools are the face of your business.

The new ABAC range is tailored to professionals needs, with products designed to be user-friendly, comfortable and durable.

Featuring pneumatic tools and accessories, it complements the existing compressed air solution range offered by ABAC. With one of the largest compressor portfolios on the market, full air treatment equipment and state-of-the-art distribution systems, we ensure perfect air delivery and quality for all your applications.





**ABAC Air Compressors S.p.A.**  
Via Cristoforo Colombo, 3 - 10070 Robassomero (TO) Italy  
TEL. +39 011 9246415-421  
[www.abacaircompressors.com](http://www.abacaircompressors.com)

©ABAC 2019  
THE CONTENTS OF THIS PUBLICATION ARE THE COPYRIGHT OF THE PUBLISHER AND MAY NOT BE REPRODUCED (EVEN EXTRACTS) UNLESS PRIOR WRITTEN PERMISSION IS GRANTED. EVERY CARE HAS BEEN TAKEN TO ENSURE THE ACCURACY OF THE INFORMATION CONTAINED IN THIS PUBLICATION BUT NO LIABILITY CAN BE ACCEPTED FOR ANY LOSS OR DAMAGE WHETHER DIRECT, INDIRECT OR CONSEQUENTIAL ARISING OUT OF THE USE OF THE INFORMATION CONTAINED HEREIN.

CERTAIN IMAGE(S) USED UNDER LICENSE FROM SHUTTERSTOCK.COM.